



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/527,350	01/09/2006	Monika Jobmann	234682	3521

23460 7590 10/18/2010
LEYDIG VOIT & MAYER, LTD
TWO PRUDENTIAL PLAZA, SUITE 4900
180 NORTH STETSON AVENUE
CHICAGO, IL 60601-6731

EXAMINER

HAIDER, SAIRA BANO

ART UNIT	PAPER NUMBER
----------	--------------

1765

NOTIFICATION DATE	DELIVERY MODE
-------------------	---------------

10/18/2010

ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

Chgpatent@leydig.com

Office Action Summary	Application No. 10/527,350	Applicant(s) JOBMANN ET AL.	
	Examiner SAIRA HAIDER	Art Unit 1796	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 08/02/10.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-6,9,10,12-15 and 17-24 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-6,9,12-15 and 17-24 is/are rejected.
- 7) ☒ Claim(s) 10 is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Claim Rejections - 35 USC § 103

1. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.
2. Claims 1-5, 9 and 22-24 are rejected under 35 U.S.C. 103(a) as being unpatentable over Menting (US 2003/0165682).
3. Menting discloses microcapsules comprising a core of a rubber additive material encased by a casing (referred to by Menting as the coating) and further encased by a waxy-material (abstract; example 6) for use in rubber vulcanization.
4. The wax-material creates a free-flowing composition and thus is considered to reduce the static friction as claimed ([0060]). The casing material is stable up to 130°C ([0031]). The coating of Menting melts in the temperature ranges of rubber vulcanization ([0029]), thus the core is released in a controlled manner. A suitable rubber additive material is crystalline or amorphous sulphur ([0025]).
5. In reference to the limitation regarding two shells made from an amino resin, it is noted that Menting discloses that the coating can be made of an amino-aldehyde resin [0028], a second shell layer is not disclosed. Menting discloses that the release of the encapsulated additive takes place only when the coating material melts and dissolves in the rubber [0050]. In view of such teachings, it would have been obvious to one of ordinary skill in the art to form a second amino-aldehyde based shell in order to form a thicker shell layer which will further delay release of the core material.
6. In reference to the limitation reading the sliding or wearing layer, it is noted that Menting discloses that the final microcapsules are coated with a low-melting-wax-like substance, such as pentaerythritoltetra-stearate (example 6). Wherein this compound is a fatty acid derivative and has a

Art Unit: 1796

molecular weight of 1201 g/mol thus is considered to read on the claimed low molecular weight waxes, fatty acid derivatives. Menting teaches that the application of this layer converts the microcapsules into beads which do not contain dust, are free flowing and holds the microcapsules together (example 6). Wherein it would have been obvious to one of ordinary skill in the art to apply the sliding layer to the two-shell microcapsule taught by Menting in order to form free-flowing microcapsule beads which do not contain dust and are free flowing.

7. In reference to claims 9 and 24, Menting discloses that after the first shell the particle size is increased from 5 microns to roughly 5 microns (example 1). It follows that the addition of the second shell is not considered to significantly increase the size of the microcapsule and the microcapsule would have a final diameter of about greater than 5 microns. Thus it would have been obvious to one skilled in the art that the final microcapsule would fall within the claimed range of 1 to 50 microns, preferably 5 to 25 microns. Further, Menting discloses that a suitable particle starting size can be as low as 1 micron ([0034]). Accordingly, the final particle size would also be decreased. It would have been obvious to one of ordinary skill in the art at the time of the invention to control the size of the final microcapsule by both adjusting the size of the initial starting particle.

8. The size of the particle is recognized as a result-effective variable because changing it will clearly affect the type of product obtained. Wherein a decrease in the diameter of the particle will result in a greater number of possible particles by weight included in the final composition, further, a greater number of particles provide a greater distribution and thus improved vulcanization in the rubber. Thus it would have been obvious to one of ordinary skill in the art to utilize a microcapsule having the claimed diameters so as to produce the desired end results. See MPEP § 2144.05 (B). Case law holds that “discovery of an optimum value of a result effective variable in a known process is ordinarily within the skill of the art.” See *In re Boesch*, 617 F.2d 272, 205 USPQ 215 (CCPA 1980).

Art Unit: 1796

9. In reference to claims 5 and 23, Menting discloses that that starting size of the sulphur is 5 microns and after the first shell is applied the particle size is increased from 5 microns to roughly 5 microns (example 1). It follows that the addition of the second shell is not considered to significantly increase the size of the microcapsule. Wherein it is clear that amount of core sulphur comprises the majority of the microcapsule. The amount of core sulphur in the microcapsules is recognized as a result-effective variable because changing it will clearly affect the product obtained. Wherein an increase in the percentage of core sulphur will result in microcapsules capable of releasing a larger amount of sulphur vulcanizing agent for use in the rubber and thus less microcapsules are required to attain the desired result. Accordingly, it would have been obvious to one of ordinary skill in the art at the time of the invention to utilize a microcapsule having the claimed large percentage of sulphur in the core so as to product the desired end results. See MPEP 2144.05(B).

10. In reference to the newly added limitation to claim 1, Menting notes that the final particle size is as low as 100 microns, wherein the starting size of the sulphur was 5 microns (examples 1 and 6). Accordingly, the shells and the waxy-coating have a thickness of 95 microns.

11. Additionally, the combined thickness of the first and second shells and the sliding layer is recognized as a result-effective variable because changing it will clearly affect the type of product obtained. Wherein an increase in the thickness of the first and/or second shell will result in an increase in the release time of the core material and this allow the final composition to be subjected to a higher processing temperature prior to vulcanization. Thus it would have been obvious to one of ordinary skill in the art to utilize a microcapsule having the claimed first and/or second shell thickness so as to produce the desired end results.

Art Unit: 1796

12. Claim 6 is rejected under 35 U.S.C. 103(a) as being unpatentable over Menting (US 2003/0165682) in view of Johnson (US 2,623,079).

13. Menting applies as discussed above, but fails to disclose the compounds claimed as the first polymer material. In reference to claim 6, Menting applies as discussed above and discloses suitable shell materials as amino-aldehyde resins (col. 4, lines 2-9); however the reference fails to disclose the specifically claimed compounds.

14. Thus attention is directed towards the Johnson reference which discloses the encapsulation of sulphur particles using melamine formaldehyde resins (col. 1, lines 1-6; col. 3, lines 64-69). Johnson notes that melamine formaldehyde resins are suitable as the coating material because it is one in which the sulphur is not soluble, it is substantially insoluble in the compounded rubber, it retains protective sealing during milling, is not extensively softened by contact with the rubber compound, is inert at the milling temperatures, and is stable at a temperature of about 140°C (col. 3, lines 37-69). Accordingly, in view of the above mentioned benefits of melamine formaldehyde it would have been obvious to one skilled in the art to utilize melamine formaldehyde as the first and second shell layers of the microcapsule taught by Menting.

15. Claims 12-15 and 17-21 are rejected under 35 U.S.C. 103(a) as being unpatentable over Menting (US 2003/0165682) in further view of Okada et al. (US 4,670,344).

16. Menting and applies as discussed above, but fail to disclose the claimed prepolymeric solution and curing process for the melamine formaldehyde first and second shells, as per claim 12 and the dependent claims thereof. Thus attention is directed towards the Okada reference which discloses a melamine formaldehyde polymeric shell of a microcapsule formed by dispersing the liquid core material within the prepolymer solution (abstract, col. 2, line 60 to col. 3, line 3), and

Art Unit: 1796

chemically curing the microcapsule via an acid catalyst (col. 4, lines 63-65) or heat (Example 1). The final microcapsules are filtered and dried (Example 1(d)). Menting recognizes that a variety of suitable methods can be used to prepare the microcapsules ([0042]). Wherein the Okada reference represents an alternate method of forming the favorable melamine formaldehyde first shell when the core material is a liquid. Okada notes that the disclosed method allows for control of the ratio of formaldehyde to melamine in order to form a shell which is homogenous and excellent in mechanical strength, impermeability and solvent resistance. Accordingly, it would have been obvious to one of ordinary skill in the art at the time of the invention to utilize the method of Okada to encapsulated sulphur in a melamine formaldehyde first shell as taught by Menting. Further it would have been obvious to form a second melamine formaldehyde shell via repetition of the process of Okada in order to form a thicker shell layer which will further delay release of the core material. Wherein utilization of a recognized method is within the skill of one in the art and the method of Okada proves controls in the ratio of the shell materials to improve properties.

17. In reference to part (d) of claim 12, it is noted that the above rejection only alters the process of formation of the first and second shell, thus the sliding layer would be formed via the process of Menting. The second polymer (also reads on the sliding or wearing layer) is deposited via fluidized bed reactor, a type of spray drying, as disclosed by Menting (example 6). In reference to claim 20 which requires granulation, Menting discloses that the microcapsules are formed into beads upon application of the sliding layer – i.e. the microcapsules are agglomerated ([0061]). Thus the claimed process will result in the claimed granulation of the microcapsules.

Allowable Subject Matter

Art Unit: 1796

18. Claim 10 is objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

19. The selection of the claimed components within the prior art involves an unduly and unobvious amount of modifications, wherein the reference fails to motivate one to arrive at the claimed microcapsule composition.

Response to Arguments

20. In response to applicant's argument that Menting does not have the same problems as the claimed invention, the fact that applicant has recognized another advantage which would flow naturally from following the suggestion of the prior art cannot be the basis for patentability when the differences would otherwise be obvious. See *Ex parte Obiaya*, 227 USPQ 58, 60 (Bd. Pat. App. & Inter. 1985).

Conclusion

21. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Art Unit: 1796

Any inquiry concerning this communication or earlier communications from the examiner should be directed to SAIRA HAIDER whose telephone number is (571)272-3553. The examiner can normally be reached on Monday-Friday from 10am-6pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, James Seidleck can be reached on (571) 272-1078. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/James J. Seidleck/

Supervisory Patent Examiner, Art Unit 1796

Saira Haider
Examiner

Art Unit 1796